



Rury kwasowe

wymiar mm	waga	gatunek		
Ø a x g	kg /mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
6,0 x 1,0	0,13	•		
8,0 x 1,0	0,18	•		
10,0 x 1,0	0,23	•		
10,0 x 1,5	0,32	•		
12,0 x 1,0	0,28	•	•	
12,0 x 1,5	0,39	•	•	•
12,0 x 2,0	0,50	•		
14,0 x 1,0	0,33	•		
14,0 x 1,5	0,47	•	•	•
14,0 x 2,0	0,60	•		
15,0 x 1,0	0,35			
15,0 x 1,5	0,51	•		
16,0 x 1,0	0,38	•		
16,0 x 1,5	0,55	•	•	•
16,0 x 2,0	0,69	•		
17,2 x 2,0	0,76			
18,0 x 1,0	0,43	•		
18,0 x 1,5	0,82	•	•	•
20,0 x 1,0	0,48	•		
20,0 x 1,5	0,70	•	•	•
20,0 x 2,0	0,90	•	•	•
20,0 x 3,0	1,26	•		
21,3 x 2,0	0,97	•		
21,3 x 2,5	1,16			
21,3 x 2,6	1,22	•		
22,0 x 1,5	0,77	•	•	•
22,0 x 2,0	1,00	•		•
25,0 x 1,5	0,88	•	•	•
25,0 x 2,0	1,15	•	•	•



Rury kwasowe

wymiar mm	waga	gatunek		
Ø a x g	kg /mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
25,0 x 3,0	1,65			
26,9 x 2,0	1,25			
26,9 x 2,6	1,58	•		
26,9 x 3,0	1,80	•		
28,0 x 1,0	0,68	•		
28,0 x 1,5	1,00	•		
30,0 x 1,5	1,07	•	•	•
30,0 x 2,0	1,40	•	•	•
32,0 x 1,5	1,12			
32,0 x 2,0	1,50	•		
33,7 x 1,5	1,20	•		
33,7 x 2,0	1,59	•	•	
33,7 x 3,0	2,31	•		
35,0 x 1,5	1,26	•		
35,0 x 2,0	1,65			
35,0 x 2,5	2,05			
38,0 x 1,5	1,37	•	•	•
38,0 x 2,0	1,80	•	•	
38,0 x 3,0	2,49			
40,0 x 1,5	1,45	•	•	•
40,0 x 2,0	1,90	•	•	•
40,0 x 3,0	2,78	•		
42,4 x 1,5	1,64	•	•	•
42,4 x 2,0	2,02		•	•
42,2 x 2,6	2,73			
42,2 x 3,0	2,97			
42,4 x 3,2	3,19			
45,0 x 2,0	2,17	•		
48,3 x 1,5	1,74			



Rury kwasowe

wymiar mm	waga	gatunek		
Ø a x g	kg /mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
48,3 x 2,0	2,32	•	•	•
48,3 x 3,0	3,40		•	
50,0 x 1,5	1,83	•		•
50,0 x 2,0	2,40	•	•	
50,8 x 1,5	1,82	•		•
50,8 x 2,0	2,44	•		
52,0 x 1,5	1,91			
54,0 x 2,0	2,60	•		
60,3 x 1,5	2,21	•	•	
60,3 x 2,0	2,92	•		•
60,3 x 3,0	4,17	•		
63,5 x 1,5	2,31	•		
70,0 x 1,5	2,43	•		
70,0 x 2,0	3,40	•		
76,1 x 2,0	3,71	•		
76,1 x 3,0	5,49			
76,1 x 4,0	7,22			
88,9 x 2,0	4,35	•		
101,6 x 2,0	4,98			
101,6 x 4,0	9,77			
104,0 x 2,0	5,06	•		
129,0 x 2,0	6,20	•		
154,0 x 2,0	7,61	•		
168,3 x 4,0	16,25			
204,0 x 2,0	10,03	•		

- pozycje dostępne w stałej ofercie magazynowej
- podane wagi są wagami teoretycznymi, możliwe są odchylenia zgodnie z normą
możliwość zamówienia innych niewymienionych wymiarów i powierzchni wykończenia