



Profile kwasowe

wymiar mm	waga	gatunek		
a x b x g	kg / mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
10 x 10 x 1,0	0,29	•		
15 x 15 x 1,5	0,66	•	•	
20 x 10 x 1,5	0,66	•	•	
20 x 20 x 1,2	0,73	•	•	
20 x 20 x 1,5	0,90	•	•	
20 x 20 x 2,0	1,18	•	•	
25 x 25 x 1,5	1,14	•	•	
25 x 25 x 2,0	1,50	•		
30 x 10 x 1,5	1,02	•		
30 x 15 x 1,5	1,05	•		
30 x 15 x 2,0	1,34	•		
30 x 20 x 1,5	1,14	•	•	
30 x 20 x 2,0	1,49	•	•	
30 x 30 x 1,5	1,38	•	•	•
30 x 30 x 2,0	1,81	•	•	
30 x 30 x 3,0	2,63	•		
35 x 35 x 1,5	1,62		•	
35 x 35 x 2,0	2,13	•		
40 x 10 x 1,5	1,19	•		
40 x 20 x 1,5	1,42	•	•	
40 x 20 x 2,0	1,81	•	•	•
40 x 30 x 2,0	2,13	•	•	
40 x 30 x 3,0	3,26		•	
40 x 40 x 1,5	1,86	•	•	



Profile kwasowe

wymiar mm	waga	gatunek		
a x b x g	kg / mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
40 x 40 x 2,0	2,45	•	•	
40 x 40 x 3,0	3,60	•		
40 x 40 x 4,0	4,55			
45 x 45 x 2,0	2,72	•		
50 x 10 x 1,5	1,42			
50 x 20 x 1,5	1,59		•	
50 x 20 x 2,0	2,13	•	•	
50 x 25 x 1,5	1,74	•		
50 x 30 x 1,5	1,86	•		
50 x 30 x 2,0	2,45	•	•	
50 x 30 x 3,0	2,45	•		
50 x 40 x 2,0	2,77	•		
50 x 50 x 1,5	2,34	•		
50 x 50 x 2,0	3,09	•	•	
50 x 50 x 3,0	4,56	•		
60 x 20 x 1,5	1,26			
60 x 20 x 2,0	2,45	•		
60 x 30 x 1,5	2,10	•		
60 x 30 x 2,0	2,77	•		
60 x 40 x 1,5	2,34	•		
60 x 40 x 2,0	3,08	•		
60 x 40 x 3,0	4,56	•	•	
60 x 60 x 1,5	2,80			
60 x 60 x 2,0	3,74	•		



Profile kwasowe

wymiar mm	waga	gatunek		
a x b x g	kg / mb	304 / 0H18N9 / 1.4301		
		mat	szlif	poler
60 x 60 x 3,0	5,52	•		
70 x 40 x 2,0	3,48	•		
80 x 20 x 2,0	3,16	•		
80 x 40 x 2,0	3,73	•		
80 x 40 x 3,0	5,52	•		
80 x 60 x 3,0	6,64			
80 x 80 x 2,0	5,00	•		
80 x 80 x 3,0	7,43	•		
100 x 20 x 1,5	2,84			
100 x 20 x 2,0	3,79			
100 x 40 x 2,0	4,35			
100 x 40 x 3,0	6,47			
100 x 50 x 2,0	4,66	•		
100 x 50 x 3,0	6,95			
100 x 50 x 4,0	9,48			
100 x 100 x 2,0	6,28	•		
100 x 100 x 3,0	9,34	•		
120 x 120 x 3,0	11,26	•		
150 x 50 x 3,0	9,48			
150 x 150 x 4,0	18,96			
160 x 80 x 4,0	15,17			

- pozycje dostępne w stałej ofercie magazynowej
- podane wagi są wagami teoretycznymi, możliwe są odchylenia zgodnie z normą
możliwość zamówienia innych niewymienionych wymiarów i powierzchni wykończenia